

Package ‘tidytable’

April 28, 2022

Title Tidy Interface to 'data.table'

Version 0.7.2

Description A tidy interface to 'data.table' that is 'rlang' compatible,
giving users the speed of 'data.table' with the clean syntax of the tidyverse.

License MIT + file LICENSE

Encoding UTF-8

Imports data.table (>= 1.14.0), glue (>= 1.4.0), lifecycle (>= 0.2.0),
magrittr (>= 2.0.3), pillar (>= 1.5.0), rlang (>= 1.0.0),
tidyselect (>= 1.1.0), vctrs (>= 0.4.1)

RoxygenNote 7.1.2

Config/testthat/edition 3

URL <https://github.com/markfairbanks/tidytable>

BugReports <https://github.com/markfairbanks/tidytable/issues>

Suggests testthat (>= 2.1.0), bit64, knitr, rmarkdown

NeedsCompilation no

Author Mark Fairbanks [aut, cre],
Abdessabour Moutik [ctb],
Matt Carlson [ctb],
Ivan Leung [ctb],
Ross Kennedy [ctb]

Maintainer Mark Fairbanks <mark.t.fairbanks@gmail.com>

Repository CRAN

Date/Publication 2022-04-28 16:30:02 UTC

R topics documented:

across.	3
add_count.	4
arrange.	5
arrange_across.	5

as_tidytable	6
between.	7
bind_cols.	7
case.	8
case_when.	9
coalesce.	9
complete.	10
context	11
count.	12
crossing.	13
c_across.	13
desc.	14
distinct.	14
drop_na.	15
dt	16
enframe.	17
expand.	17
expand_grid.	18
extract.	19
fill.	20
filter.	20
first.	21
fread.	22
get_dummies.	22
group_split.	24
ifelse.	24
if_all.	25
inv_gc	26
is_tidytable	26
lags.	27
left_join.	28
map.	29
mutate.	30
mutate_across.	32
mutate_rowwise.	33
n.	34
nest.	34
nest_by.	35
new_tidytable	36
n_distinct.	36
pivot_longer.	37
pivot_wider.	38
pull.	40
relocate.	41
rename.	41
rename_with.	42
replace_na.	43
row_number.	43

<code>across.</code>	3
<code>select.</code>	44
<code>separate.</code>	45
<code>separate_rows.</code>	46
<code>slice.</code>	46
<code>summarize.</code>	48
<code>summarize_across.</code>	49
<code>tidytable.</code>	50
<code>top_n.</code>	51
<code>transmute.</code>	52
<code>uncount.</code>	52
<code>unite.</code>	53
<code>unnest.</code>	54
<code>unnest_longer.</code>	55
<code>unnest_wider.</code>	56
<code>%notin%</code>	57
Index	58

<code>across.</code>	<i>Apply a function across a selection of columns</i>
----------------------	---

Description

Apply a function across a selection of columns. For use in `arrange.()`, `mutate.()`, and `summarize.()`.

Usage

```
across(.cols = everything(), .fns = NULL, ..., .names = NULL)
```

Arguments

<code>.cols</code>	vector <code>c()</code> of unquoted column names. <code>tidyselect</code> compatible.
<code>.fns</code>	Functions to pass. Can pass a list of functions.
<code>...</code>	Other arguments for the passed function
<code>.names</code>	A glue specification that helps with renaming output columns. <code>{.col}</code> stands for the selected column, and <code>{.fn}</code> stands for the name of the function being applied. The default (NULL) is equivalent to <code>"{.col}"</code> for a single function case and <code>"{.col}_{.fn}"</code> when a list is used for <code>.fns</code> .

Examples

```
df <- data.table(
  x = rep(1, 3),
  y = rep(2, 3),
  z = c("a", "a", "b")
)

df %>%
```

```
mutate.(across.(c(x, y), ~ .x * 2))

df %>%
  summarize.(across.(c(x, y), ~ mean(.x, na.rm = TRUE)), .by = z)

df %>%
  arrange.(across.(c(y, z)))
```

add_count. *Add a count column to the data frame*

Description

Add a count column to the data frame.

df %>% add_count.(a, b) is equivalent to using df %>% mutate.(n = n(), .by = c(a, b))

Usage

```
add_count.(.df, ..., wt = NULL, sort = FALSE, name = NULL)
```

Arguments

.df	A data.frame or data.table
...	Columns to group by. tidyselect compatible.
wt	Frequency weights. Can be NULL or a variable: <ul style="list-style-type: none"> • If NULL (the default), counts the number of rows in each group. • If a variable, computes sum(wt) for each group.
sort	If TRUE, will show the largest groups at the top.
name	The name of the new column in the output. If omitted, it will default to n.

Examples

```
df <- data.table(
  a = c("a", "a", "b"),
  b = 1:3
)

df %>%
  add_count.(a)
```

arrange.	<i>Arrange/reorder rows</i>
----------	-----------------------------

Description

Order rows in ascending or descending order.

Note: `data.table` orders character columns slightly differently than `dplyr::arrange()` by ordering in the "C-locale". See `?data.table::setorder` for more details.

Usage

```
arrange(.df, ...)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	Variables to arrange by

Examples

```
df <- data.table(  
  a = 1:3,  
  b = 4:6,  
  c = c("a", "a", "b")  
)  
  
df %>%  
  arrange(c, -a)  
  
df %>%  
  arrange(c, desc(a))
```

arrange_across.	<i>Arrange by a selection of variables</i>
-----------------	--

Description

Arrange all rows in either ascending or descending order by a selection of variables.

Usage

```
arrange_across(.df, .cols = everything(), .fns = NULL)
```

Arguments

<code>.df</code>	A <code>data.table</code> or <code>data.frame</code>
<code>.cols</code>	vector <code>c()</code> of unquoted column names. <code>tidyselect</code> compatible.
<code>.fns</code>	Function to apply. If <code>desc</code> it arranges in descending order

Examples

```
df <- tidytable(a = c("a", "b", "a"), b = 3:1)
```

```
df %>%
  arrange_across()
```

```
df %>%
  arrange_across(a, desc.)
```

<code>as_tidytable</code>	<i>Coerce an object to a data.table/tidytable</i>
---------------------------	---

Description

A tidytable object is simply a `data.table` with nice printing features.

Note that all tidytable functions automatically convert `data.frames` & `data.tables` to tidytables in the background. As such this function will rarely need to be used by the user.

Usage

```
as_tidytable(x, ..., .name_repair = "unique", .keep_rownames = NULL)
```

Arguments

<code>x</code>	An R object
<code>...</code>	Additional arguments to be passed to or from other methods.
<code>.name_repair</code>	Treatment of duplicate names. See <code>?vctrs::vec_as_names</code> for options/details.
<code>.keep_rownames</code>	Default is <code>FALSE</code> . If <code>TRUE</code> , adds the input object's names as a separate column named <code>"rn"</code> . <code>.keep_rownames = "id"</code> names the column <code>"id"</code> instead.

Examples

```
df <- data.frame(x = -2:2, y = c(rep("a", 3), rep("b", 2)))
```

```
df %>%
  as_tidytable()
```

between. *Do the values from x fall between the left and right bounds?*

Description

between.() utilizes data.table::between() in the background

Usage

```
between.(x, left, right)
```

Arguments

x	A numeric vector
left, right	Boundary values

Examples

```
df <- data.table(  
  x = 1:5,  
  y = 1:5  
)  
  
# Typically used in a filter.  
df %>%  
  filter.(between.(x, 2, 4))  
  
df %>%  
  filter.(x %>% between.(2, 4))  
  
# Can also use the %between% operator  
df %>%  
  filter.(x %between% c(2, 4))
```

bind_cols. *Bind data.tables by row and column*

Description

Bind multiple data.tables into one row-wise or col-wise.

Usage

```
bind_cols(..., .name_repair = "unique")  
  
bind_rows(..., .id = NULL)
```

Arguments

... data.tables or data.frames to bind
 .name_repair Treatment of duplicate names. See `?vctrs::vec_as_names` for options/details.
 .id If TRUE, an integer column is made as a group id

Examples

```
# Binding data together by row
df1 <- data.table(x = 1:3, y = 10:12)
df2 <- data.table(x = 4:6, y = 13:15)

df1 %>%
  bind_rows.(df2)

# Can pass a list of data.tables
df_list <- list(df1, df2)

bind_rows.(df_list)

# Binding data together by column
df1 <- data.table(a = 1:3, b = 4:6)
df2 <- data.table(c = 7:9)

df1 %>%
  bind_cols.(df2)

# Can pass a list of data frames
bind_cols.(list(df1, df2))
```

case. *data.table::fcase() with vectorized default*

Description

This function allows you to use multiple if/else statements in one call.

It is called like `data.table::fcase()`, but allows the user to use a vector as the default argument.

Usage

```
case(..., default = NA)
```

Arguments

... Sequence of condition/value designations
 default Default value. Set to NA by default.

Examples

```
df <- tidytable(x = 1:10)

df %>%
  mutate.(case_x = case.(x < 5, 1,
                        x < 7, 2,
                        default = 3))
```

case_when.

Case when

Description

This function allows you to use multiple if/else statements in one call.

It is called like `dplyr::case_when()`, but utilizes `data.table::fifelse()` in the background for improved performance.

Usage

```
case_when(...)
```

Arguments

... A sequence of two-sided formulas. The left hand side gives the conditions, the right hand side gives the values.

Examples

```
df <- tidytable(x = 1:10)

df %>%
  mutate.(case_x = case_when.(x < 5 ~ 1,
                              x < 7 ~ 2,
                              TRUE ~ 3))
```

coalesce.

Coalesce missing values

Description

Fill in missing values in a vector by pulling successively from other vectors.

Usage

```
coalesce(...)
```

Arguments

... Input vectors. Supports dynamic dots.

Examples

```
# Use a single value to replace all missing values
x <- sample(c(1:5, NA, NA, NA))
coalesce(x, 0)

# Or match together a complete vector from missing pieces
y <- c(1, 2, NA, NA, 5)
z <- c(NA, NA, 3, 4, 5)
coalesce(y, z)

# Supply lists with dynamic dots
vecs <- list(
  c(1, 2, NA, NA, 5),
  c(NA, NA, 3, 4, 5)
)
coalesce(!!!vecs)
```

complete.

Complete a data.table with missing combinations of data

Description

Turns implicit missing values into explicit missing values.

Usage

```
complete(.df, ..., fill = list(), .by = NULL)
```

Arguments

.df A data.frame or data.table
 ... Columns to expand
 fill A named list of values to fill NAs with.
 .by Columns to group by

Examples

```
df <- data.table(x = 1:2, y = 1:2, z = 3:4)

df %>%
  complete(x, y)

df %>%
  complete(x, y, fill = list(z = 10))
```

context	<i>Context functions</i>
---------	--------------------------

Description

These functions give information about the "current" group.

- `cur_data.()` gives the current data for the current group
- `cur_column.()` gives the name of the current column (for use in `across.()` only)
- `cur_group_id.()` gives a group identification number
- `cur_group_rows.()` gives the row indices for each group

Can be used inside `summarize.()`, `mutate.()`, & `filter.()`

Usage

```
cur_column.()
```

```
cur_data.()
```

```
cur_group_id.()
```

```
cur_group_rows.()
```

Examples

```
df <- data.table(  
  x = 1:5,  
  y = c("a", "a", "a", "b", "b")  
)  
  
df %>%  
  mutate(  
    across(c(x, y), ~ paste(cur_column(), .x))  
  )  
  
df %>%  
  summarize(data = list(cur_data()),  
            .by = y)  
  
df %>%  
  mutate(group_id = cur_group_id(),  
         .by = y)  
  
df %>%  
  mutate(group_rows = cur_group_rows(),  
         .by = y)
```

count. *Count observations by group*

Description

Returns row counts of the dataset. If bare column names are provided, `count.()` returns counts by group.

Usage

```
count.(df, ..., wt = NULL, sort = FALSE, name = NULL)
```

Arguments

<code>.df</code>	A <code>data.frame</code> or <code>data.table</code>
<code>...</code>	Columns to group by. <code>tidyselect</code> compatible.
<code>wt</code>	Frequency weights. <code>tidyselect</code> compatible. Can be <code>NULL</code> or a variable: <ul style="list-style-type: none">• If <code>NULL</code> (the default), counts the number of rows in each group.• If a variable, computes <code>sum(wt)</code> for each group.
<code>sort</code>	If <code>TRUE</code> , will show the largest groups at the top.
<code>name</code>	The name of the new column in the output. If omitted, it will default to <code>N</code> .

Examples

```
df <- data.table(  
  x = 1:3,  
  y = 4:6,  
  z = c("a", "a", "b")  
)  
  
df %>%  
  count.()  
  
df %>%  
  count.(z)  
  
df %>%  
  count.(where(is.character))  
  
df %>%  
  count.(z, wt = y, name = "y_sum")  
  
df %>%  
  count.(z, sort = TRUE)
```

crossing. *Create a data.table from all unique combinations of inputs*

Description

crossing.() is similar to expand_grid.() but de-duplicates and sorts its inputs.

Usage

```
crossing(..., .name_repair = "check_unique")
```

Arguments

... Variables to get unique combinations of
.name_repair Treatment of problematic names. See ?vctrs::vec_as_names for options/details

Examples

```
x <- 1:2  
y <- 1:2  
  
crossing(x, y)  
  
crossing(stuff = x, y)
```

c_across. *Combine values from multiple columns*

Description

c_across.() works inside of mutate_rowwise.(). It uses tidyselect so you can easily select multiple variables.

Usage

```
c_across(cols = everything())
```

Arguments

cols Columns to transform.

Examples

```
df <- data.table(x = runif(6), y = runif(6), z = runif(6))  
  
df %>%  
  mutate_rowwise(row_mean = mean(c_across(x:z)))
```

desc. *Descending order*

Description

Arrange in descending order. Can be used inside of arrange. ()

Usage

desc.(x)

Arguments

x Variable to arrange in descending order

Examples

```
df <- data.table(
  a = 1:3,
  b = 4:6,
  c = c("a", "a", "b")
)

df %>%
  arrange(c, desc.(a))
```

distinct. *Select distinct/unique rows*

Description

Retain only unique/distinct rows from an input df.

Usage

distinct.(df, ..., .keep_all = FALSE)

Arguments

.df A data.frame or data.table

... Columns to select before determining uniqueness. If omitted, will use all columns. tidyselect compatible.

.keep_all Only relevant if columns are provided to ... arg. This keeps all columns, but only keeps the first row of each distinct values of columns provided to ... arg.

Examples

```
df <- tidytable(  
  x = 1:3,  
  y = 4:6,  
  z = c("a", "a", "b")  
)  
  
df %>%  
  distinct()  
  
df %>%  
  distinct(z)
```

drop_na.

Drop rows containing missing values

Description

Drop rows containing missing values

Usage

```
drop_na.(.df, ...)
```

Arguments

.df	A data.frame or data.table
...	Optional: A selection of columns. If empty, all variables are selected. tidyselect compatible.

Examples

```
df <- data.table(  
  x = c(1, 2, NA),  
  y = c("a", NA, "b")  
)  
  
df %>%  
  drop_na()  
  
df %>%  
  drop_na(x)  
  
df %>%  
  drop_na(where(is.numeric))
```

dt	<i>Pipeable data.table call</i>
----	---------------------------------

Description

Pipeable data.table call.

Has *experimental* support for tidy evaluation.

Note: This function does not use data.table's modify-by-reference

Usage

```
dt(.df, ...)
```

Arguments

.df	A data.frame or data.table
...	Arguments passed to data.table call. See ?data.table::[.data.table

Examples

```
df <- tidytable(  
  x = 1:3,  
  y = 4:6,  
  z = c("a", "a", "b")  
)  
  
df %>%  
  dt(, double_x := x * 2) %>%  
  dt(order(-double_x))  
  
# Experimental support for tidy evaluation  
add_one <- function(data, col) {  
  data %>%  
    dt(, {{ col }} := {{ col }} + 1)  
}  
  
df %>%  
  add_one(x)
```

enframe. *Convert a vector to a data.table/tidyttable*

Description

Converts named and unnamed vectors to a data.table/tidyttable.

Usage

```
enframe.(x, name = "name", value = "value")
```

Arguments

x	A vector
name	Name of the column that stores the names. If name = NULL, a one-column tidyttable will be returned.
value	Name of the column that stores the values.

Examples

```
vec <- 1:3
names(vec) <- letters[1:3]

enframe.(vec)
```

expand. *Expand a data.table to use all combinations of values*

Description

Generates all combinations of variables found in a dataset.

expand.() is useful in conjunction with joins:

- use with right_join.() to convert implicit missing values to explicit missing values
- use with anti_join.() to find out which combinations are missing

nesting.() is a helper that only finds combinations already present in the dataset.

Usage

```
expand.(df, ..., .name_repair = "check_unique", .by = NULL)

nesting.(..., .name_repair = "check_unique")
```

Arguments

`.df` A data.frame or data.table
`...` Columns to get combinations of
`.name_repair` Treatment of duplicate names. See `?vctrs::vec_as_names` for options/details
`.by` Columns to group by

Examples

```
df <- tidytable(x = c(1, 1, 2), y = c(1, 1, 2))

df %>%
  expand.(x, y)

df %>%
  expand.(nesting.(x, y))
```

expand_grid. *Create a data.table from all combinations of inputs*

Description

Create a data.table from all combinations of inputs

Usage

```
expand_grid(..., .name_repair = "check_unique")
```

Arguments

`...` Variables to get combinations of
`.name_repair` Treatment of problematic names. See `?vctrs::vec_as_names` for options/details

Examples

```
x <- 1:2
y <- 1:2

expand_grid.(x, y)

expand_grid.(stuff = x, y)
```

extract. *Extract a character column into multiple columns using regex*

Description

Given a regular expression with capturing groups, `extract()` turns each group into a new column. If the groups don't match, or the input is `NA`, the output will be `NA`. When you pass same name in the `into` argument it will merge the groups together. Whilst passing `NA` in the `into` arg will drop the group from the resulting `tidytable`

Usage

```
extract.(
  .df,
  col,
  into,
  regex = "[[:alnum:]]+",
  remove = TRUE,
  convert = FALSE,
  ...
)
```

Arguments

<code>.df</code>	A <code>data.table</code> or <code>data.frame</code>
<code>col</code>	Column to extract from
<code>into</code>	New column names to split into. A character vector.
<code>regex</code>	A regular expression to extract the desired values. There should be one group (defined by <code>()</code>) for each element of <code>into</code>
<code>remove</code>	If <code>TRUE</code> , remove the input column from the output <code>data.table</code>
<code>convert</code>	If <code>TRUE</code> , runs <code>type.convert()</code> on the resulting column. Useful if the resulting column should be type <code>integer</code> / <code>double</code> .
<code>...</code>	Additional arguments passed on to methods.

Examples

```
df <- data.table(x = c(NA, "a-b-1", "a-d-3", "b-c-2", "d-e-7"))
df %>% extract(x, "A")
df %>% extract(x, c("A", "B"), "[[:alnum:]]+-[[:alnum:]]+")

# If no match, NA:
df %>% extract(x, c("A", "B"), "[a-d]+-[a-d]+")
# drop columns by passing NA
df %>% extract(x, c("A", NA, "B"), "[a-d]+-[a-d]+-(\\d+)")
# merge groups by passing same name
df %>% extract(x, c("A", "B", "A"), "[a-d]+-[a-d]+-(\\d+)")
```

`fill.` *Fill in missing values with previous or next value*

Description

Fills missing values in the selected columns using the next or previous entry. Can be done by group.
Supports tidyselect

Usage

```
fill.(df, ..., .direction = c("down", "up", "downup", "updown"), .by = NULL)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	A selection of columns. tidyselect compatible.
<code>.direction</code>	Direction in which to fill missing values. Currently "down" (the default), "up", "downup" (first down then up), or "updown" (first up and then down)
<code>.by</code>	Columns to group by when filling should be done by group

Examples

```
df <- data.table(
  a = c(1, NA, 3, 4, 5),
  b = c(NA, 2, NA, NA, 5),
  groups = c("a", "a", "a", "b", "b")
)

df %>%
  fill(a, b)

df %>%
  fill(a, b, .by = groups)

df %>%
  fill(a, b, .direction = "downup", .by = groups)
```

`filter.` *Filter rows on one or more conditions*

Description

Filters a dataset to choose rows where conditions are true.

Usage

```
filter.(df, ..., .by = NULL)
```

Arguments

.df	A data.frame or data.table
...	Conditions to filter by
.by	Columns to group by if filtering with a summary function

Examples

```
df <- tidytable(
  a = 1:3,
  b = 4:6,
  c = c("a", "a", "b")
)

df %>%
  filter.(a >= 2, b >= 4)

df %>%
  filter.(b <= mean(b), .by = c)
```

first.	<i>Extract the first, last, or nth value from a vector</i>
--------	--

Description

Extract the first, last, or nth value from a vector.

Note: These are simple wrappers around `vecr::vec_slice()`.

Usage

```
first.(x, default = NA)

last.(x, default = NA)

nth.(x, n, default = NA)
```

Arguments

x	A vector
default	The default value if the value doesn't exist.
n	For <code>nth.()</code> , a number specifying the position to grab.

Examples

```
vec <- letters

first.(vec)
last.(vec)
nth.(vec, 4)
```

fread.	<i>Read/write files</i>
--------	-------------------------

Description

fread.() is a simple wrapper around data.table::fread() that returns a tibble instead of a data.table.

fwrite.() is a simple wrapper around data.table::fwrite().

Usage

```
fread(...)

fwrite(...)
```

Arguments

... Arguments passed on to data.table::fread or data.table::fwrite. See ?data.table::fread or ?data.table::fwrite for details

Examples

```
fake_csv <- "A,B
            1,2
            3,4"

fread.(fake_csv)
```

get_dummies.	<i>Convert character and factor columns to dummy variables</i>
--------------	--

Description

Convert character and factor columns to dummy variables

Usage

```
get_dummies.(
  .df,
  cols = c(where(is.character), where(is.factor)),
  prefix = TRUE,
  prefix_sep = "_",
  drop_first = FALSE,
  dummify_na = TRUE
)
```

Arguments

.df	A data.frame or data.table
cols	A single column or a vector of unquoted columns to dummify. Defaults to all character & factor columns using <code>c(where(is.character), where(is.factor))</code> . tidyselect compatible.
prefix	TRUE/FALSE - If TRUE, a prefix will be added to new column names
prefix_sep	Separator for new column names
drop_first	TRUE/FALSE - If TRUE, the first dummy column will be dropped
dummify_na	TRUE/FALSE - If TRUE, NAs will also get dummy columns

Examples

```
df <- tidytable(
  col1 = c("a", "b", "c", NA),
  col2 = as.factor(c("a", "b", NA, "d")),
  var1 = rnorm(4, 0, 1)
)

# Automatically does all character/factor columns
df %>%
  get_dummies()

# Can select one column
df %>%
  get_dummies.(col1)

# Can select one or multiple columns in a vector of unquoted column names
df %>%
  get_dummies.(c(col1, col2))

# Can drop certain columns using
df %>%
  get_dummies.(c(where(is.character), -col2))

df %>%
  get_dummies.(prefix_sep = ".", drop_first = TRUE)

df %>%
  get_dummies.(c(col1, col2), dummify_na = FALSE)
```

`group_split.` *Split data frame by groups*

Description

Split data frame by groups. Returns a list.

Usage

```
group_split.(df, ..., .keep = TRUE, .named = FALSE)
```

Arguments

<code>.df</code>	A <code>data.frame</code> or <code>data.table</code>
<code>...</code>	Columns to group and split by. <code>tidyselect</code> compatible.
<code>.keep</code>	Should the grouping columns be kept
<code>.named</code>	<i>experimental</i> : Should the list be named with labels that identify the group

Examples

```
df <- tidytable(
  a = 1:3,
  b = 1:3,
  c = c("a", "a", "b"),
  d = c("a", "a", "b")
)

df %>%
  group_split(c, d)

df %>%
  group_split(c, d, .keep = FALSE)

df %>%
  group_split(c, d, .named = TRUE)
```

`ifelse.` *Fast ifelse*

Description

`ifelse.()` utilizes `data.table::fifelse()` in the background, but automatically converts NAs to their proper type.

Usage

```
ifelse.(conditions, true, false, na = NA)
```


Arguments

conditions	Conditions to test on
true	Values to return if conditions evaluate to TRUE
false	Values to return if conditions evaluate to FALSE
na	Value to return if an element of test is NA.

Examples

```
x <- 1:5
ifelse.(x < 3, 1, 0)

# Can also be used inside of mutate.()
df <- data.table(x = x)

df %>%
  mutate.(new_col = ifelse.(x < 3, 1, 0))
```

if_all.
Create conditions on a selection of columns

Description

Helps to apply a filter across a selection of columns.

Usage

```
if_all.(.cols = everything(), .fns = NULL, ...)

if_any.(.cols = everything(), .fns = NULL, ...)
```

Arguments

.cols	Selection of columns
.fns	Function to create filter conditions
...	Other arguments passed to the function

Examples

```
iris %>%
  filter.(if_any.(ends_with("Width"), ~ .x > 4))

iris %>%
  filter.(if_all.(ends_with("Width"), ~ .x > 2))
```

inv_gc *Run invisible garbage collection*

Description

Run garbage collection without the gc() output. Can also be run in the middle of a long pipe chain. Useful for large datasets or when using parallel processing.

Usage

```
inv_gc(x)
```

Arguments

x Optional. If missing runs gc() silently. Else returns the same object unaltered.

Examples

```
# Can be run with no input
inv_gc()

df <- tidytable(col1 = 1, col2 = 2)

# Or can be used in the middle of a pipe chain (object is unaltered)
df %>%
  filter.(col1 < 2, col2 < 4) %>%
  inv_gc() %>%
  select.(col1)
```

is_tidytable *Test if the object is a tidytable*

Description

This function returns TRUE for tidytables or subclasses of tidytables, and FALSE for all other objects.

Usage

```
is_tidytable(x)
```

Arguments

x An object

Examples

```
df <- data.frame(x = 1:3, y = 1:3)

is_tidytable(df)

df <- tidytable(x = 1:3, y = 1:3)

is_tidytable(df)
```

lags. *Get lagging or leading values*

Description

Find the "previous" or "next" values in a vector. Useful for comparing values behind or ahead of the current values.

Usage

```
lags.(x, n = 1L, default = NA)

leads.(x, n = 1L, default = NA)
```

Arguments

x	a vector of values
n	a positive integer of length 1, giving the number of positions to lead or lag by
default	value used for non-existent rows. Defaults to NA.

Examples

```
x <- 1:5

leads.(x, 1)
lags.(x, 1)

# Also works inside of `mutate()`
df <- tidytable(x = 1:5)

df %>%
  mutate.(lag_x = lags.(x))
```

left_join. *Join two data.tables together*

Description

Join two data.tables together

Usage

```
left_join.(x, y, by = NULL, suffix = c(".x", ".y"), ..., keep = FALSE)
right_join.(x, y, by = NULL, suffix = c(".x", ".y"), ..., keep = FALSE)
inner_join.(x, y, by = NULL, suffix = c(".x", ".y"), ..., keep = FALSE)
full_join.(x, y, by = NULL, suffix = c(".x", ".y"), ..., keep = FALSE)
anti_join.(x, y, by = NULL)
semi_join.(x, y, by = NULL)
```

Arguments

x	A data.frame or data.table
y	A data.frame or data.table
by	A character vector of variables to join by. If NULL, the default, the join will do a natural join, using all variables with common names across the two tables.
suffix	Append created for duplicated column names when using full_join.()
...	Other parameters passed on to methods
keep	Should the join keys from both x and y be preserved in the output?

Value

A data.table

Examples

```
df1 <- data.table(x = c("a", "a", "b"), y = 1:3)
df2 <- data.table(x = c("a", "b"), z = 1:2)

df1 %>% left_join.(df2)
df1 %>% inner_join.(df2)
df1 %>% right_join.(df2)
df1 %>% full_join.(df2)
df1 %>% anti_join.(df2)
```

map. *Apply a function to each element of a vector or list*

Description

The map functions transform their input by applying a function to each element and returning a list/vector/data.table.

- map.() returns a list
- _lgl.(), _int.(), _dbl.(), _chr.(), _df.() variants return their specified type
- _dfr.() & _dfc.() Return all data frame results combined utilizing row or column binding

Usage

```
map.(.x, .f, ...)  
map_lgl.(.x, .f, ...)  
map_int.(.x, .f, ...)  
map_dbl.(.x, .f, ...)  
map_chr.(.x, .f, ...)  
map_dfc.(.x, .f, ...)  
map_dfr.(.x, .f, ..., .id = NULL)  
map_df.(.x, .f, ..., .id = NULL)  
walk.(.x, .f, ...)  
map2.(.x, .y, .f, ...)  
map2_lgl.(.x, .y, .f, ...)  
map2_int.(.x, .y, .f, ...)  
map2_dbl.(.x, .y, .f, ...)  
map2_chr.(.x, .y, .f, ...)  
map2_dfc.(.x, .y, .f, ...)  
map2_dfr.(.x, .y, .f, ..., .id = NULL)  
map2_df.(.x, .y, .f, ..., .id = NULL)
```

```
pmap(.l, .f, ...)  
pmap_lgl(.l, .f, ...)  
pmap_int(.l, .f, ...)  
pmap_dbl(.l, .f, ...)  
pmap_chr(.l, .f, ...)  
pmap_dfc(.l, .f, ...)  
pmap_dfr(.l, .f, ..., .id = NULL)  
pmap_df(.l, .f, ..., .id = NULL)
```

Arguments

<code>.x</code>	A list or vector
<code>.f</code>	A function
<code>...</code>	Other arguments to pass to a function
<code>.id</code>	Whether <code>map_dfr.()</code> should add an <code>id</code> column to the finished dataset
<code>.y</code>	A list or vector
<code>.l</code>	A list to use in <code>pmap</code>

Examples

```
map.(c(1,2,3), ~ .x + 1)  
map_dbl.(c(1,2,3), ~ .x + 1)  
map_chr.(c(1,2,3), as.character)
```

`mutate.` *Add/modify/delete columns*

Description

With `mutate.()` you can do 3 things:

- Add new columns
- Modify existing columns
- Delete columns

Usage

```
mutate.(
  .df,
  ...,
  .by = NULL,
  .keep = c("all", "used", "unused", "none"),
  .before = NULL,
  .after = NULL
)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	Columns to add/modify
<code>.by</code>	Columns to group by
<code>.keep</code>	<i>experimental</i> : This is an experimental argument that allows you to control which columns from <code>.df</code> are retained in the output: <ul style="list-style-type: none"> • "all", the default, retains all variables. • "used" keeps any variables used to make new variables; it's useful for checking your work as it displays inputs and outputs side-by-side. • "unused" keeps only existing variables not used to make new variables. • "none", only keeps grouping keys (like <code>transmute.()</code>).
<code>.before, .after</code>	Optionally indicate where new columns should be placed. Defaults to the right side of the data frame.

Examples

```
df <- data.table(
  a = 1:3,
  b = 4:6,
  c = c("a", "a", "b")
)

df %>%
  mutate(double_a = a * 2,
         a_plus_b = a + b)

df %>%
  mutate(double_a = a * 2,
         avg_a = mean(a),
         .by = c)

df %>%
  mutate(double_a = a * 2, .keep = "used")

df %>%
  mutate(double_a = a * 2, .after = a)
```

mutate_across. *Mutate multiple columns simultaneously*

Description

Mutate multiple columns simultaneously.

Usage

```
mutate_across.(
  .df,
  .cols = everything(),
  .fns = NULL,
  ...,
  .by = NULL,
  .names = NULL
)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>.cols</code>	vector <code>c()</code> of unquoted column names. tidyselect compatible.
<code>.fns</code>	Functions to pass. Can pass a list of functions.
<code>...</code>	Other arguments for the passed function
<code>.by</code>	Columns to group by
<code>.names</code>	A glue specification that helps with renaming output columns. <code>{.col}</code> stands for the selected column, and <code>{.fn}</code> stands for the name of the function being applied. The default (NULL) is equivalent to " <code>{.col}</code> " for a single function case and " <code>{.col}_{.fn}</code> " when a list is used for <code>.fns</code> .

Examples

```
df <- data.table(
  x = rep(1, 3),
  y = rep(2, 3),
  z = c("a", "a", "b")
)

df %>%
  mutate_across.(where(is.numeric), as.character)

df %>%
  mutate_across.(c(x, y), ~ .x * 2)

df %>%
  mutate_across.(everything(), as.character)
```



```
df %>%
  mutate_across.(c(x, y), list(new = ~ .x * 2,
                              another = ~ .x + 7))

df %>%
  mutate_across.(
    .cols = c(x, y),
    .fns = list(new = ~ .x * 2, another = ~ .x + 7),
    .names = "{.col}_test_{.fn}"
  )
```

mutate_rowwise.	<i>Add/modify columns by row</i>
-----------------	----------------------------------

Description

Allows you to mutate "by row". this is most useful when a vectorized function doesn't exist.

Usage

```
mutate_rowwise.(.df, ...)
```

Arguments

.df	A data.table or data.frame
...	Columns to add/modify

Examples

```
df <- data.table(x = runif(6), y = runif(6), z = runif(6))

# Compute the mean of x, y, z in each row
df %>%
  mutate_rowwise.(row_mean = mean(c(x, y, z)))

# Use c_across(.) to more easily select many variables
df %>%
  mutate_rowwise.(row_mean = mean(c_across.(x:z)))
```

n.	<i>Number of observations in each group</i>
----	---

Description

Helper function that can be used to find counts by group.

Can be used inside `summarize.()`, `mutate.()`, & `filter.()`

Usage

```
n.()
```

Examples

```
df <- data.table(
  x = 1:3,
  y = 4:6,
  z = c("a", "a", "b")
)

df %>%
  summarize(count = n(), .by = z)

# The dplyr version `n()` also works
df %>%
  summarize(count = n(), .by = z)
```

nest.	<i>Nest data.tables</i>
-------	-------------------------

Description

Nest data.tables

Usage

```
nest.(.df, ..., .names_sep = NULL)
```

Arguments

.df	A data.table or data.frame
...	Columns to be nested.
.names_sep	If NULL, the names will be left alone. If a string, the names of the columns will be created by pasting together the inner column names and the outer column names.

Examples

```
df <- data.table(
  a = 1:10,
  b = 11:20,
  c = c(rep("a", 6), rep("b", 4)),
  d = c(rep("a", 4), rep("b", 6))
)

df %>%
  nest.(data = c(a, b))

df %>%
  nest.(data = where(is.numeric))
```

nest_by.	<i>Nest data.tables</i>
----------	-------------------------

Description

Nest data.tables by group

Usage

```
nest_by.(.df, ..., .key = "data", .keep = FALSE)
```

Arguments

.df	A data.frame or data.table
...	Columns to group by. If empty nests the entire data.table. tidyselect compatible.
.key	Name of the new column created by nesting.
.keep	Should the grouping columns be kept in the list column.

Examples

```
df <- data.table(
  a = 1:5,
  b = 6:10,
  c = c(rep("a", 3), rep("b", 2)),
  d = c(rep("a", 3), rep("b", 2))
)

df %>%
  nest_by.(c)

df %>%
  nest_by.(c, d)
```

```
df %>%
  nest_by.(where(is.character))
```

```
df %>%
  nest_by.(c, d, .keep = TRUE)
```

new_tidytable	<i>Create a tidytable from a list</i>
---------------	---------------------------------------

Description

Create a tidytable from a list

Usage

```
new_tidytable(x = list(), n = NULL)
```

Arguments

x	A named list of equal-length vectors. The lengths are not checked; it is the responsibility of the caller to make sure they are equal.
n	Number of rows. If NULL, will be computed from the length of the first element of x.

Examples

```
l <- list(x = 1:3, y = c("a", "a", "b"))
new_tidytable(l)
```

n_distinct.	<i>Count the number of unique values in a vector</i>
-------------	--

Description

This is a faster version of `length(unique(x))` that calls `data.table::uniqueN()`.

Usage

```
n_distinct(..., na.rm = FALSE)
```

Arguments

...	vectors of values
na.rm	If TRUE missing values don't count

Examples

```
x <- sample(1:10, 1e5, rep = TRUE)
n_distinct.(x)
```

pivot_longer. *Pivot data from wide to long*

Description

`pivot_longer.()` "lengthens" the data, increasing the number of rows and decreasing the number of columns.

Usage

```
pivot_longer.(
  .df,
  cols = everything(),
  names_to = "name",
  values_to = "value",
  names_prefix = NULL,
  names_sep = NULL,
  names_pattern = NULL,
  names_ptypes = list(),
  names_transform = list(),
  names_repair = "check_unique",
  values_drop_na = FALSE,
  values_ptypes = list(),
  values_transform = list(),
  fast_pivot = FALSE,
  ...
)
```

Arguments

<code>.df</code>	A data.table or data.frame
<code>cols</code>	Columns to pivot. tidyselect compatible.
<code>names_to</code>	Name of the new "names" column. Must be a string.
<code>values_to</code>	Name of the new "values" column. Must be a string.
<code>names_prefix</code>	Remove matching text from the start of selected columns using regex.
<code>names_sep</code>	If <code>names_to</code> contains multiple values, <code>names_sep</code> takes the same specification as <code>separate.()</code> .
<code>names_pattern</code>	If <code>names_to</code> contains multiple values, <code>names_pattern</code> takes the same specification as <code>extract.()</code> , a regular expression containing matching groups.

names_ptypes, values_ptypes
 A list of column name-prototype pairs. See “?vctrs::‘theory-faq-coercion’” for more info on vctrs coercion.

names_transform, values_transform
 A list of column name-function pairs. Use these arguments if you need to change the types of specific columns.

names_repair Treatment of duplicate names. See ?vctrs::vec_as_names for options/details.

values_drop_na If TRUE, rows will be dropped that contain NAs.

fast_pivot *experimental*: Fast pivoting. If TRUE, the names_to column will be returned as a factor, otherwise it will be a character column. Defaults to FALSE to match tidyverse semantics.

... Additional arguments to passed on to methods.

Examples

```
df <- data.table(
  x = 1:3,
  y = 4:6,
  z = c("a", "b", "c")
)

df %>%
  pivot_longer.(cols = c(x, y))

df %>%
  pivot_longer.(cols = -z, names_to = "stuff", values_to = "things")
```

pivot_wider. *Pivot data from long to wide*

Description

"Widens" data, increasing the number of columns and decreasing the number of rows.

Usage

```
pivot_wider.(
  .df,
  names_from = name,
  values_from = value,
  id_cols = NULL,
  names_sep = "_",
  names_prefix = "",
  names_glue = NULL,
  names_sort = FALSE,
  names_repair = "check_unique",
  values_fill = NULL,
  values_fn = NULL
)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>names_from</code>	A pair of arguments describing which column (or columns) to get the name of the output column <code>name_from</code> , and which column (or columns) to get the cell values from <code>values_from</code>). <code>tidyselect</code> compatible.
<code>values_from</code>	A pair of arguments describing which column (or columns) to get the name of the output column <code>name_from</code> , and which column (or columns) to get the cell values from <code>values_from</code> . <code>tidyselect</code> compatible.
<code>id_cols</code>	A set of columns that uniquely identifies each observation. Defaults to all columns in the data table except for the columns specified in <code>names_from</code> and <code>values_from</code> . Typically used when you have additional variables that is directly related. <code>tidyselect</code> compatible.
<code>names_sep</code>	the separator between the names of the columns
<code>names_prefix</code>	prefix to add to the names of the new columns
<code>names_glue</code>	Instead of using <code>names_sep</code> and <code>names_prefix</code> , you can supply a glue specification that uses the <code>names_from</code> columns (and special <code>.value</code>) to create custom column names
<code>names_sort</code>	Should the resulting new columns be sorted
<code>names_repair</code>	Treatment of duplicate names. See <code>?vctrs::vec_as_names</code> for options/details.
<code>values_fill</code>	If values are missing, what value should be filled in
<code>values_fn</code>	Should the data be aggregated before casting? If the formula doesn't identify a single observation for each cell, then aggregation defaults to <code>length</code> with a message.

Examples

```
df <- data.table(
  a = rep(c("a", "b", "c"), 2),
  b = c(rep("x", 3), rep("y", 3)),
  vals = 1:6
)

df %>%
  pivot_wider.(names_from = b, values_from = vals)

df %>%
  pivot_wider.(
    names_from = b, values_from = vals, names_prefix = "new_"
  )
```

pull.	<i>Pull out a single variable</i>
-------	-----------------------------------

Description

Pull a single variable from a data.table as a vector.

Usage

```
pull.(df, var = -1, name = NULL)
```

Arguments

.df	A data.frame or data.table
var	The column to pull from the data.table as: <ul style="list-style-type: none">• a variable name• a positive integer giving the column position• a negative integer giving the column position counting from the right
name	Optional - specifies the column to be used as names for the vector.

Examples

```
df <- data.table(  
  x = 1:3,  
  y = 1:3  
)  
  
# Grab column by name  
df %>%  
  pull.(y)  
  
# Grab column by position  
df %>%  
  pull.(1)  
  
# Defaults to last column  
df %>%  
  pull.()
```

relocate. *Relocate a column to a new position*

Description

Move a column or columns to a new position

Usage

```
relocate(.df, ..., .before = NULL, .after = NULL)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	A selection of columns to move. tidyselect compatible.
<code>.before</code>	Column to move selection before
<code>.after</code>	Column to move selection after

Examples

```
df <- data.table(  
  a = 1:3,  
  b = 1:3,  
  c = c("a", "a", "b"),  
  d = c("a", "a", "b")  
)  
  
df %>%  
  relocate(c, .before = b)  
  
df %>%  
  relocate(a, b, .after = c)  
  
df %>%  
  relocate(where(is.numeric), .after = c)
```

rename. *Rename variables by name*

Description

Rename variables from a data.table.

Usage

```
rename(.df, ...)
```

Arguments

.df A data.frame or data.table
 ... Rename expression like `dplyr::rename()`

Examples

```
df <- data.table(x = 1:3, y = 4:6)

df %>%
  rename.(new_x = x,
          new_y = y)
```

<code>rename_with.</code>	<i>Rename multiple columns</i>
---------------------------	--------------------------------

Description

Rename multiple columns with the same transformation

Usage

```
rename_with.(.df, .fn = NULL, .cols = everything(), ...)
```

Arguments

.df A data.table or data.frame
 .fn Function to transform the names with.
 .cols Columns to rename. Defaults to all columns. `tidyselect` compatible.
 ... Other parameters to pass to the function

Examples

```
df <- data.table(
  x = 1,
  y = 2,
  double_x = 2,
  double_y = 4
)

df %>%
  rename_with.(toupper)

df %>%
  rename_with.(~ toupper(.x))

df %>%
  rename_with.(~ toupper(.x), .cols = c(x, double_x))
```

replace_na. *Replace missing values*

Description

Replace NAs with specified values

Usage

```
replace_na(.x, replace = NA)
```

Arguments

`.x` A data.frame/data.table or a vector
`replace` If `.x` is a data frame, a `list()` of replacement values for specified columns. If `.x` is a vector, a single replacement value.

Examples

```
df <- data.table(  
  x = c(1, 2, NA),  
  y = c(NA, 1, 2)  
)  
  
# Using replace_na() inside mutate()  
df %>%  
  mutate(x = replace_na(x, 5))  
  
# Using replace_na() on a data frame  
df %>%  
  replace_na(list(x = 5, y = 0))
```

row_number. *Return row number*

Description

Returns row number. This function is designed to work inside of `mutate()`

Usage

```
row_number()
```

Examples

```
df <- data.table(x = rep(1, 3), y = c("a", "a", "b"))

df %>%
  mutate.(row = row_number.())

# The dplyr version `row_number()` also works
df %>%
  mutate.(row = row_number())
```

select. *Select or drop columns*

Description

Select or drop columns from a data.table

Usage

```
select.(.df, ...)
```

Arguments

.df	A data.frame or data.table
...	Columns to select or drop. Use named arguments, e.g. new_name = old_name, to rename selected variables. tidysselect compatible.

Examples

```
df <- data.table(
  x1 = 1:3,
  x2 = 1:3,
  y = c("a", "b", "c"),
  z = c("a", "b", "c")
)

df %>%
  select.(x1, y)

df %>%
  select.(x1:y)

df %>%
  select.(-y, -z)

df %>%
  select.(starts_with("x"), z)

df %>%
```

```

select.(where(is.character), x1)

df %>%
  select.(new = x1, y)

```

separate. *Separate a character column into multiple columns*

Description

Separates a single column into multiple columns using a user supplied separator or regex.

If a separator is not supplied one will be automatically detected.

Note: Using automatic detection or regex will be slower than simple separators such as "," or ".".

Usage

```

separate.(
  .df,
  col,
  into,
  sep = "[^[:alnum:]]+",
  remove = TRUE,
  convert = FALSE,
  ...
)

```

Arguments

.df	A data.frame or data.table
col	The column to split into multiple columns
into	New column names to split into. A character vector. Use NA to omit the variable in the output.
sep	Separator to split on. Can be specified or detected automatically
remove	If TRUE, remove the input column from the output data.table
convert	TRUE calls type.convert() with as.is = TRUE on new columns
...	Arguments passed on to methods

Examples

```

df <- data.table(x = c("a", "a.b", "a.b", NA))

# "sep" can be automatically detected (slower)
df %>%
  separate.(x, into = c("c1", "c2"))

# Faster if "sep" is provided
df %>%
  separate.(x, into = c("c1", "c2"), sep = ".")

```

`separate_rows.` *Separate a collapsed column into multiple rows*

Description

If a column contains observations with multiple delimited values, separate them each into their own row.

Usage

```
separate_rows(.df, ..., sep = "[^[:alnum:]]+", convert = FALSE)
```

Arguments

<code>.df</code>	A <code>data.frame</code> or <code>data.table</code>
<code>...</code>	Columns to separate across multiple rows. <code>tidyselect</code> compatible
<code>sep</code>	Separator delimiting collapsed values
<code>convert</code>	If <code>TRUE</code> , runs <code>type.convert()</code> on the resulting column. Useful if the resulting column should be type <code>integer/double</code> .

Examples

```
df <- data.table(  
  x = 1:3,  
  y = c("a", "d,e,f", "g,h"),  
  z = c("1", "2,3,4", "5,6")  
)  
  
separate_rows(df, y, z)  
  
separate_rows(df, y, z, convert = TRUE)
```

`slice.` *Choose rows in a data.table*

Description

Choose rows in a `data.table`. Grouped `data.tables` grab rows within each group.

Usage

```

slice(.df, ..., .by = NULL)

slice_head(.df, n = 5, .by = NULL)

slice_tail(.df, n = 5, .by = NULL)

slice_max(.df, order_by, n = 1, .by = NULL)

slice_min(.df, order_by, n = 1, .by = NULL)

slice_sample(.df, n, prop, weight_by = NULL, replace = FALSE, .by = NULL)

```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	Integer row values
<code>.by</code>	Columns to group by
<code>n</code>	Number of rows to grab
<code>order_by</code>	Variable to arrange by
<code>prop</code>	The proportion of rows to select
<code>weight_by</code>	Sampling weights
<code>replace</code>	Should sampling be performed with (TRUE) or without (FALSE, default) replacement

Examples

```

df <- data.table(
  x = 1:4,
  y = 5:8,
  z = c("a", "a", "a", "b")
)

df %>%
  slice.(1:3)

df %>%
  slice.(1, 3)

df %>%
  slice.(1:2, .by = z)

df %>%
  slice_head.(1, .by = z)

df %>%
  slice_tail.(1, .by = z)

```

```
df %>%
  slice_max.(order_by = x, .by = z)
```

```
df %>%
  slice_min.(order_by = y, .by = z)
```

 summarize.

Aggregate data using summary statistics

Description

Aggregate data using summary statistics such as mean or median. Can be calculated by group.

Usage

```
summarize.(df, ..., .by = NULL, .sort = TRUE)
```

```
summarise.(df, ..., .by = NULL, .sort = TRUE)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	Aggregations to perform
<code>.by</code>	Columns to group by. <ul style="list-style-type: none"> • A single column can be passed with <code>.by = d</code>. • Multiple columns can be passed with <code>.by = c(c, d)</code> • <code>tidyselect</code> can be used: <ul style="list-style-type: none"> – Single predicate: <code>.by = where(is.character)</code> – Multiple predicates: <code>.by = c(where(is.character), where(is.factor))</code> – A combination of predicates and column names: <code>.by = c(where(is.character), b)</code>
<code>.sort</code>	<i>experimental</i> : Default TRUE. If FALSE the original order of the grouping variables will be preserved.

Examples

```
df <- data.table(
  a = 1:3,
  b = 4:6,
  c = c("a", "a", "b"),
  d = c("a", "a", "b")
)

df %>%
  summarize.(avg_a = mean(a),
             max_b = max(b),
             .by = c)
```



```
df %>%
  summarize.(avg_a = mean(a),
             .by = c(c, d))
```

summarize_across.	<i>Summarize multiple columns</i>
-------------------	-----------------------------------

Description

Summarize multiple columns simultaneously

Usage

```
summarize_across.(
  .df,
  .cols = everything(),
  .fns = NULL,
  ...,
  .by = NULL,
  .names = NULL
)
```

```
summarise_across.(
  .df,
  .cols = everything(),
  .fns = NULL,
  ...,
  .by = NULL,
  .names = NULL
)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>.cols</code>	vector <code>c()</code> of unquoted column names. <code>tidyselect</code> compatible.
<code>.fns</code>	Functions to pass. Can pass a list of functions.
<code>...</code>	Other arguments for the passed function
<code>.by</code>	Columns to group by
<code>.names</code>	A glue specification that helps with renaming output columns. <code>{.col}</code> stands for the selected column, and <code>{.fn}</code> stands for the name of the function being applied. The default (NULL) is equivalent to " <code>{.col}</code> " for a single function case and " <code>{.col}_{.fn}</code> " when a list is used for <code>.fns</code> .

Examples

```
df <- data.table(
  a = 1:3,
  b = 4:6,
  z = c("a", "a", "b")
)

# Pass a single function
df %>%
  summarize_across.(c(a, b), mean, na.rm = TRUE)

# Single function using purrr style interface
df %>%
  summarize_across.(c(a, b), ~ mean(.x, na.rm = TRUE))

# Passing a list of functions (with .by)
df %>%
  summarize_across.(c(a, b), list(mean, max), .by = z)

# Passing a named list of functions (with .by)
df %>%
  summarize_across.(c(a, b),
                    list(avg = mean,
                         max = ~ max(.x)),
                    .by = z)

# Use the `.names` argument for more naming control
df %>%
  summarize_across.(c(a, b),
                    list(avg = mean,
                         max = ~ max(.x)),
                    .by = z,
                    .names = "{.col}_test_{.fn}")
```

tidytable

*Build a data.table/tidytable***Description**

Constructs a data.table, but one with nice printing features.

Usage

```
tidytable(
  ...,
  .name_repair = c("check_unique", "unique", "universal", "minimal")
)
```

Arguments

... A set of name-value pairs

.name_repair Treatment of duplicate names. See `?vctrs::vec_as_names` for options/details.

Examples

```
tidytable(x = 1:3, y = c("a", "a", "b"))
```

top_n.	<i>Select top (or bottom) n rows (by value)</i>
--------	---

Description

Select the top or bottom entries in each group, ordered by wt.

Usage

```
top_n(.df, n = 5, wt = NULL, .by = NULL)
```

Arguments

.df A data.frame or data.table

n Number of rows to return

wt Optional. The variable to use for ordering. If NULL uses the last column in the data.table.

.by Columns to group by

Examples

```
df <- data.table(
  x = 1:5,
  y = 6:10,
  z = c(rep("a", 3), rep("b", 2))
)

df %>%
  top_n(2, wt = y)

df %>%
  top_n(2, wt = y, .by = z)
```

`transmute.` *Add new variables and drop all others*

Description

Unlike `mutate.()`, `transmute.()` keeps only the variables that you create

Usage

```
transmute.(.df, ..., .by = NULL)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>...</code>	Columns to create/modify
<code>.by</code>	Columns to group by

Examples

```
df <- data.table(
  a = 1:3,
  b = 4:6,
  c = c("a", "a", "b")
)

df %>%
  transmute.(double_a = a * 2)
```

`uncount.` *Uncount a data.table*

Description

Uncount a data.table

Usage

```
uncount.(.df, weights, .remove = TRUE, .id = NULL)
```

Arguments

<code>.df</code>	A data.frame or data.table
<code>weights</code>	A column containing the weights to uncount by
<code>.remove</code>	If TRUE removes the selected weights column
<code>.id</code>	A string name for a new column containing a unique identifier for the newly uncounted rows.

Examples

```
df <- data.table(x = c("a", "b"), n = c(1, 2))

uncount.(df, n)

uncount.(df, n, .id = "id")
```

unite. *Unite multiple columns by pasting strings together*

Description

Convenience function to paste together multiple columns into one.

Usage

```
unite.(.df, col = ".united", ..., sep = "_", remove = TRUE, na.rm = FALSE)
```

Arguments

.df	A data.frame or data.table
col	Name of the new column, as a string.
...	Selection of columns. If empty all variables are selected. tidyselect compatible.
sep	Separator to use between values
remove	If TRUE, removes input columns from the data.table.
na.rm	If TRUE, NA values will be not be part of the concatenation

Examples

```
df <- tidytable(
  a = c("a", "a", "a"),
  b = c("b", "b", "b"),
  c = c("c", "c", NA)
)

df %>%
  unite("new_col", b, c)

df %>%
  unite("new_col", where(is.character))

df %>%
  unite("new_col", b, c, remove = FALSE)

df %>%
  unite("new_col", b, c, na.rm = TRUE)
```

```
df %>%
  unite.()
```

```
unnest.           Unnest list-columns
```

Description

Unnest list-columns.

Usage

```
unnest.(
  .df,
  ...,
  keep_empty = FALSE,
  .drop = TRUE,
  names_sep = NULL,
  names_repair = "unique"
)
```

Arguments

<code>.df</code>	A data.table
<code>...</code>	Columns to unnest. If empty, unnests all list columns. <code>tidyselect</code> compatible.
<code>keep_empty</code>	Return NA for any NULL elements of the list column
<code>.drop</code>	Should list columns that were not unnested be dropped
<code>names_sep</code>	If NULL, the default, the inner column names will become the new outer column names. If a string, the name of the outer column will be appended to the beginning of the inner column names, with <code>names_sep</code> used as a separator.
<code>names_repair</code>	Treatment of duplicate names. See <code>?vctrs::vec_as_names</code> for options/details.

Examples

```
nested_df <-
  data.table(
    a = 1:10,
    b = 11:20,
    c = c(rep("a", 6), rep("b", 4)),
    d = c(rep("a", 4), rep("b", 6))
  ) %>%
  nest_by.(c, d) %>%
  mutate.(pulled_vec = map.(data, ~ pull.(.x, a)))

nested_df %>%
```

```

unnest.(data)

nested_df %>%
  unnest.(data, names_sep = "_")

nested_df %>%
  unnest.(data, pulled_vec)

```

unnest_longer. *Unnest a list-column of vectors into regular columns*

Description

Turns each element of a list-column into a row.

Usage

```

unnest_longer.(
  .df,
  col,
  values_to = NULL,
  indices_to = NULL,
  indices_include = NULL,
  names_repair = "check_unique",
  simplify = NULL,
  ptype = list(),
  transform = list()
)

```

Arguments

.df	A data.table or data.frame
col	Column to unnest
values_to	Name of column to store values
indices_to	Name of column to store indices
indices_include	Should an index column be included? Defaults to TRUE when col has inner names.
names_repair	Treatment of duplicate names. See ?vctrs::vec_as_names for options/details.
simplify	Currently not supported. Errors if not NULL.
ptype	Optionally a named list of ptypes declaring the desired output type of each component.
transform	Optionally a named list of transformation functions applied to each component.

Examples

```
df <- tidytable(
  x = 1:3,
  y = list(0, 1:3, 4:5)
)

df %>% unnest_longer.(y)
```

unnest_wider.

Unnest a list-column of vectors into a wide data frame

Description

Unnest a list-column of vectors into a wide data frame

Usage

```
unnest_wider.(
  .df,
  col,
  names_sep = NULL,
  simplify = NULL,
  names_repair = "check_unique",
  ptype = list(),
  transform = list()
)
```

Arguments

<code>.df</code>	A <code>data.table</code> or <code>data.frame</code>
<code>col</code>	Column to unnest
<code>names_sep</code>	If <code>NULL</code> , the default, the names will be left as they are. If a string, the inner and outer names will be pasted together with <code>names_sep</code> as the separator.
<code>simplify</code>	Currently not supported. Errors if not <code>NULL</code> .
<code>names_repair</code>	Treatment of duplicate names. See <code>?vctrs::vec_as_names</code> for options/details.
<code>ptype</code>	Optionally a named list of ptypes declaring the desired output type of each component.
<code>transform</code>	Optionally a named list of transformation functions applied to each component.

Examples

```
df <- tidytable(
  x = 1:3,
  y = list(0, 1:3, 4:5)
)
```



```
# Automatically creates names
df %>% unnest_wider.(y)

# But you can provide names_sep for increased naming control
df %>% unnest_wider.(y, names_sep = "_")
```

%notin% *notin operator*

Description

"not in" operator - works best when used inside filter.()

Usage

```
x %notin% y
```

Arguments

x	vector or NULL
y	vector or NULL

Examples

```
df <- tidytable(x = 1:4, y = 1:4)

df %>%
  filter.(x %notin% c(2, 4))
```

Index

`%notin%`, 57

`across.`, 3
`add_count.`, 4
`anti_join.` (`left_join.`), 28
`arrange.`, 5
`arrange_across.`, 5
`as_tidytable`, 6

`between.`, 7
`bind_cols.`, 7
`bind_rows.` (`bind_cols.`), 7

`c_across.`, 13
`case.`, 8
`case_when.`, 9
`coalesce.`, 9
`complete.`, 10
`context`, 11
`count.`, 12
`crossing.`, 13
`cur_column.` (`context`), 11
`cur_data.` (`context`), 11
`cur_group_id.` (`context`), 11
`cur_group_rows.` (`context`), 11

`desc.`, 14
`distinct.`, 14
`drop_na.`, 15
`dt`, 16

`enframe.`, 17
`expand.`, 17
`expand_grid.`, 18
`extract.`, 19

`fill.`, 20
`filter.`, 20
`first.`, 21
`fread.`, 22
`full_join.` (`left_join.`), 28

`fwrite.` (`fread.`), 22

`get_dummies.`, 22
`group_split.`, 24

`if_all.`, 25
`if_any.` (`if_all.`), 25
`ifelse.`, 24
`inner_join.` (`left_join.`), 28
`inv_gc`, 26
`is_tidytable`, 26

`lags.`, 27
`last.` (`first.`), 21
`leads.` (`lags.`), 27
`left_join.`, 28

`map.`, 29
`map2.` (`map.`), 29
`map2_chr.` (`map.`), 29
`map2_dbl.` (`map.`), 29
`map2_df.` (`map.`), 29
`map2_dfc.` (`map.`), 29
`map2_dfr.` (`map.`), 29
`map2_int.` (`map.`), 29
`map2_lgl.` (`map.`), 29
`map_chr.` (`map.`), 29
`map_dbl.` (`map.`), 29
`map_df.` (`map.`), 29
`map_dfc.` (`map.`), 29
`map_dfr.` (`map.`), 29
`map_int.` (`map.`), 29
`map_lgl.` (`map.`), 29
`mutate.`, 30
`mutate_across.`, 32
`mutate_rowwise.`, 33

`n.`, 34
`n_distinct.`, 36
`nest.`, 34
`nest_by.`, 35

nesting. (expand.), 17
new_tidytable, 36
nth. (first.), 21

pivot_longer., 37
pivot_wider., 38
pmap. (map.), 29
pmap_chr. (map.), 29
pmap_dbl. (map.), 29
pmap_df. (map.), 29
pmap_dfc. (map.), 29
pmap_dfr. (map.), 29
pmap_int. (map.), 29
pmap_lgl. (map.), 29
pull., 40

relocate., 41
rename., 41
rename_with., 42
replace_na., 43
right_join. (left_join.), 28
row_number., 43

select., 44
semi_join. (left_join.), 28
separate., 45
separate_rows., 46
slice., 46
slice_head. (slice.), 46
slice_max. (slice.), 46
slice_min. (slice.), 46
slice_sample. (slice.), 46
slice_tail. (slice.), 46
summarise. (summarize.), 48
summarise_across. (summarize_across.),
49
summarize., 48
summarize_across., 49

tidytable, 50
top_n., 51
transmute., 52
transmute.(), 31

uncount., 52
unite., 53
unnest., 54
unnest_longer., 55
unnest_wider., 56

walk. (map.), 29